

Author index

- Åkesson B: see Österberg et al, p 219
 Åkesson B & Jönsson BAG: Biological monitoring of N-methyl-2-pyrrolidone using 5-hydroxy-N-methyl-2-pyrrolidone in plasma and urine as the biomarker, p 213
 Aaserud O, et al: Failure to confirm neurotoxic impairment using cerebral magnetic resonance imaging on solvent-exposed workers, p 346
 Abell A, et al: Time to pregnancy among female greenhouse workers, p 131
 Abell A, et al: Semen quality and sexual hormones in greenhouse workers, p 492
 Ackermann-Liebrich U: see Leuenberger et al, p 146
 Ahlgren T: see Albin et al, p 482
 Ahrens W: see Kreutzer et al, p 83
 Akila R: see Riihimäki et al, p 118
 Albin M, et al: Acute myeloid leukemia and clonal chromosome aberrations in relation to past exposure to organic solvents, p 482
 Andersen A: see Langseth & Andersen p 99
 Andersen A: see Kristensen et al, p 331
 Andersen A: see Grimsrud et al, p 338
 Andersen A: Romundstad et al, p 461
 Andersen A: see Romundstad et al, p 470
 Andersen JH: see Kaergaard et al, p 292
 Andersson A-M: see Hjollund et al, p 187
 Andersson M: see Kjærgaard & Andersson p 112
 Areskoug H, et al: Particles in ambient air — a health risk assessment, suppl 1
 Ariëns GAM, et al: Physical risk factors for neck pain (review), p 7
 ASCLEPIOS: see Kolstad et al, p 353
 Astrup Jensen A: see Tüchsen & Astrup Jensen, p 359
 Auvert B: see Goldberg et al, p 52
 Axmon A, et al: Time to pregnancy and infertility among women with a high intake of fish contaminated with persistent organochlorine compounds, p 199
 Aymé S: see Lorente et al, p 137
 Bailer AJ: see Stayner et al, p 322
 Bakke SJ: see Aaserud et al, p 346
 Baldi R: see Kolstad et al, p 353
 Ballester F, et al: Serum concentrations of hexachlorobenzene in family members of workers in an electrochemical factory, p 67
 Banaei A: see Goldberg et al, p 52
 Barreto SM, et al: Predictors of first nonfatal occupational injury following employment in a Brazilian steelworks, p 523
 Bastús R: see Serra et al, p 476
 Baur X, et al: Late asthmatic reaction caused by naphthylene-1,5 diisocyanate (case report), p 78
 Bendix T: see Wickström & Bendix, p 363
 Benetti F: see Roquelaure et al, p 507
 Berg KJ: see Ellingsen et al, p 427
 Berge SR: see Grimsrud et al, p 338
 Bergendorf U: see Österberg et al, p 219
 Bergeret A: see Lorente et al, p 137
 Bergmann I: see Kirkeskov Jensen et al, p 257
 Betts D: see Rushton & Betts p 317
 Bianchi F: see Lorente et al, p 137
 Bianchini F: see Vainio & Bianchini, p 529
 Billström R: see Albin et al, p 482
 Birch L, et al: Acute response to precision, time pressure and mental demand during simulated computer work, p 299
 Bisanti L: see Kolstad et al, p 353
 Björk J: see Albin et al, p 482
 Blair A: see Stewart et al, p 44
 Blaser K: see Leuenberger et al, p 146
 Bolognini G: see Leuenberger et al, p 146
 Bonde JP: see Kolstad et al, p 353
 Bonde JP: see Abell et al, p 492
 Bonde JPE: see Abell et al, p 131
 Bonde JPE: see Hjollund et al, p 187
 Bonfill X: see Serra et al, p 476
 Bongard J-P: see Leuenberger et al, p 146
 Bongers PM: see Ariëns et al, p 7
 Borchgrevink HM: see Aaserud et al, p 346
 Boschetto P: see De Marzo p 153
 Bouter LM: see Ariëns et al, p 7
 Brändli O: see Leuenberger et al, p 146
 Brink Henriksen T: see Hjollund et al, p 187
 Buhl R: see Kienast et al, p 71
 Burge S: Occupation and lung disease (editorial), p 369
 Burr H: see Tüchsen et al, p 414
 Burström L & Bylund SH: Relationship between vibration dose and the absorption of mechanical power in the hand, p 32
 Bylund SH: see Burström & Bylund, p 32
 Büske-Hohlfeld I: see Kreutzer et al, p 83
 Calzolari E: see Lorente et al, p 137
 Camner P: see Areskoug et al, suppl 1
 Carel R: see Stewart et al, p 44
 Carter N: see Ulfberg et al, p 237
 Cassetti P: see De Marzo p 153
 Chaffin DB: see Punnett et al, p 283
 Cho MH: see Fang et al, p 62
 Christensen H: see Birch et al, p 299
 Cohen RD: see Krause et al, p 227
 Cordier S: see Lorente et al, p 137
 Dahlén S-E: see Areskoug et al, suppl 1
 Dankovic DA: see Stayner LT, et al, p 322
 Dano C: see Roquelaure et al, p 507
 De Marzo N, et al: Modification of serum proteins in guinea pigs immunized and challenged with toluene diisocyanate, p 153
 De Walle HEK: see Lorente et al, p 137
 Deddens JA: see Steenland et al, p 37
 Demers P: see Ostry et al, p 273
 Domenighetti G: see Leuenberger et al, p 146
 Drumm K: see Kienast et al, p 71
 Edling C: see Ulfberg et al, p 237
 Eenberg W: see Kirkeskov Jensen et al, p 257
 Efskind J: see Ellingsen et al, p 427
 Ellingsen DG, et al: Renal and immunologic markers for chloralkali workers with low exposure to mercury vapor, p 427
 Elsasser S: see Leuenberger et al, p 146
 Engel LS, et al: Maternal occupation in agriculture and risk of limb defects in Washington State, 1980—1993, p 193
 Engström B: see Riihimäki et al, p 118
 Ernst E: see Hjollund et al, p 187
 Ernst E: see Abell et al, p 492
 Fanello S: see Roquelaure et al, p 507

- Fang MZ, et al: Analysis of urinary S-phenylmercapturic acid and trans,trans-muconic acid as exposure biomarkers of benzene in petrochemical and industrial areas of Korea, p 62
- Fine LJ: see Punnett et al, p 283
- Finsen L: see Birch et al, p 299
- Flodin U, et al: Provocation of electric hypersensitivity under everyday conditions, p 93
- Frings-Dresen MHW: see Sluiter et al, p 26
- Frings-Dresen MHW: see Sluiter et al, p 306
- Gaarder PI: see Ellingsen et al, p 427
- Gamborg MO: see Lander et al, p 436
- Gardner LI, et al: Misclassification of physical work exposures as a design issue for musculoskeletal intervention studies, p 406
- Gilbert SJ: see Stayner et al, p 322
- Giwerzman A: see Hjollund et al, p 187
- Gjerstad L: see Aaserud et al, p 346
- Goldberg M, et al: Past occupational exposure to asbestos among men in France, p 52
- Goldberg S: see Goldberg et al, p 52
- Goujard J: see Lorente et al, p 137
- Green LW: see Ostry et al, p 273
- Grimalt J: see Ballester et al, p 67
- Grimsrud TK, et al: Assessment of historical exposures in a nickel refinery in Norway, p 338
- Grizé L: see Leuenberger et al, p 146
- Guéguen A: see Goldberg et al, p 52
- Hämäläinen A-M: see Hietanen et al, p 87
- Hänninen H: see Riihimäki et al, p 118
- Härmä M: Refining information into knowledge and understanding (editorial), p 5
- Härmä M: Electric hypersensitivity and neurophysiological effects of cellular phones — facts or needless anxiety? (editorial), p 85
- Hagberg M: see Wahlström et al, p 390
- Hagberg M: see Johnson et al, p 398
- Hagmar L: see Axmon et al, p 199
- Hagmar L: see Rylander & Hagmar p 207
- Hagmar L: see Albin et al, p 482
- Haldorsen T, et al: Cancer incidence among Norwegian airline pilots, p 106
- Haldorsen T: Romundstad et al, p 461
- Haldorsen T: see Romundstad et al, p 470
- Hannerz H: see Tüchsen et al, p 414
- Hansen ÅM: see Kaergaard et al, p 292
- Hayano J: see Ohira et al, p 421
- Heisterkamp SH: see Sluiter et al, p 306
- Hengstler JG: see Kienast et al, p 71
- Herrin GD: see Punnett et al, p 283
- Hershler R: see Ostry et al, p 273
- Hertzman C: see Ostry et al, p 273
- Hietanen M, et al: Human brain activity during exposure to radiofrequency fields emitted by cellular phones, p 87
- Hjollund NHI, et al: Male-mediated spontaneous abortion among spouses of stainless steel welders, p 187
- Hogstedt C: see Sandmark et al, p 20
- Hurri HO: see Karjalainen et al, p 373
- Hytönen M: see Vanhanen et al, p 250
- Irgens LM: see Kristensen et al, p 331
- Iso H: see Ohira et al, p 421
- Jäppinen P: book review of *Evaluation in occupational health practice*, p 278
- Järventaus H: see Lander et al, p 436
- Jauhialainen MS: see Karjalainen et al, p 373
- Jensen C: see Birch et al, p 299
- Jöckel K-H: see Kreutzer et al, p 83
- Jönsson BAG: see Åkesson & Jönsson p 213
- Joffe M: see Kolstad et al, p 353
- Johansson B: see Albin et al, p 482
- Johnson PW: see Wahlström et al, p 390
- Johnson PW, et al: Measuring and characterizing force exposures during computer mouse use, p 398
- Jovine L: see De Marzo p 153
- Juul S: see Abell et al, p 131
- Juul-Kristensen B: see Birch et al, p 299
- Kaergaard A, et al: Association between plasma testosterone and work-related neck and shoulder disorders among female workers, p 292
- Kaes C: see Kienast et al, p 71
- Kanerva L: see Vanhanen et al, p 250
- Kaplan GA: see Krause et al, p 227
- Karjalainen KA, et al: Biopsychosocial rehabilitation for repetitive-strain injuries among working-age adults (review), p 373
- Karlson B: see Österberg et al, p 219
- Karrer W: see Leuenberger et al, p 146
- Keller R: see Leuenberger et al, p 146
- Kelly S: see Ostry et al, p 273
- Keskinen H: see Vanhanen et al, p 250
- Keyserling WM: see Punnett et al, p 283
- Kienast K, et al: Asbestos-exposed blood monocytes — deoxyribonucleic acid strand lesions in co-cultured bronchial epithelial cells, p 71
- Kilbom Å: see Torgén & Kilbom p 161
- Kim YS: see Fang et al, p 62
- Kirkeskov Jensen L, et al: Radiographic knee osteoarthritis in floorlayers and carpenters, p 257
- Kjærgaard J & Andersson M: Incidence rates of malignant mesothelioma in Denmark and predicted future number of cases among men, p 112
- Knill-Jones R: see Lorente et al, p 137
- Knudsen LE: see Lander et al, p 436
- Knutsson A: book review of *The workplace and cardiovascular disease*, p 455
- Koes BW: see Karjalainen et al, p 373
- Kogevinas M: see Serra et al, p 476
- Kold Jensen T: see Hjollund et al, p 187
- Kolstad HA: see Hjollund et al, p 187
- Kolstad HA, et al: Time to pregnancy among male workers of the reinforced plastics industry in Denmark, Italy and The Netherlands, p 353
- Kovala T: see Hietanen et al, p 87
- Kovala T: see Riihimäki et al, p 118
- Krause N: see Tüchsen et al, p 414
- Krause N, et al: Standing at work and progression of carotid atherosclerosis, p 227
- Kraut A, et al: Unemployment and health care utilization, p 169
- Kreienbrock L: see Kreutzer et al, p 83
- Kreiner S: see Ørheide & Kreiner p 263
- Kreuzer M, et al: Occupational risk factors for lung cancer among young men (amendments and corrections), p 83
- Kristensen P: Environment, reproductive health and epidemiology (editorial), p 185
- Kristensen P, et al: Hormone-dependent cancer and adverse reproductive outcomes in farmers' families — effects of climatic conditions favoring fungal growth in grain, p 331
- Kristensen TS: see Tüchsen et al, p 414
- Künzli N: see Leuenberger et al, p 146
- Kuosma E: see Riihimäki et al, p 118
- Låstbom L: see Areskoug et al, suppl 1
- Lander F, et al: Chromosome aberrations in pesticide-exposed greenhouse workers, p 436
- Landsittel DP: see Gardner et al, p 406
- Langseth H & Andersen A: Cancer incidence among male pulp and paper workers in Norway, p 99
- Lee JW: see Fang et al, p 62

- Leino-Arjas P: book review of *Work-related musculoskeletal disorders: report, workshop summary, and workshop papers*, p 81
- Leuenberger P, et al: Occupational exposure to inhalative irritants and methacholine responsiveness, p 146
- Lie V: see Aaserud et al, p 346
- Lindbohm M-L & Taskinen H: Spontaneous abortions among veterinarians, p 501
- Lindgren T: see Wieslander et al, p 514
- Løgager V: see Kirkeskov Jensen et al, p 257
- Loft IP: see Kirkeskov Jensen et al, p 257
- Lorente C, et al: Maternal occupational risk factors for oral clefts, p 137
- Luce D: see Goldberg et al, p 52
- Lundbäck B: see Nathell et al, p 382
- Lynch JW: see Krause et al, p 227
- Maestrelli P: see De Marzo p 153
- Malmberg P: see Nathell et al, p 382
- Malmivaara AOV: see Karjalainen et al, p 373
- Malt UF: see Aaserud et al, p 346
- Mapp CE: see De Marzo p 153
- Marczynski B: see Baur et al, p 78
- Mariel J: see Roquelaure et al, p 507
- Marion S: see Ostry et al, p 273
- Martin Y-H: see Roquelaure et al, p 507
- Mauritzson N: see Albin et al, p 482
- Mechali S: see Roquelaure et al, p 507
- Medici T: see Leuenberger et al, p 146
- Meijman TF: see Sluiter et al, p 306
- Micke P: see Kienast et al, p 71
- Mikkelsen S: see Kirkeskov Jensen et al, p 257
- Mikoczy Z: see Albin et al, p 482
- Miotto D: see De Marzo p 153
- Mitelman F: see Albin et al, p 482
- Mustard C: see Kraut et al, p 169
- Mutanen M: see Vainio & Mutanen p 178
- Nakstad PH: see Aaserud et al, p 346
- Nathell L, et al: Impact of occupation on respiratory disease, p 382
- Nelson NA: see Gardner et al, p 406
- Nilsson P-G: see Albin et al, p 482
- Norbäck D: see Wieslander et al, p 514
- Nordman H: see Vanhanen et al, p 250
- Norppa H: see Lander et al, p 436
- Norseth T: see Grimsrud et al, p 338
- Nyberg F: see Areskoug et al, suppl 1
- Nygren Å: see Nathell et al, p 382
- O'Meara ES: see Engel et al, p 193
- Occupational Exposure and Congenital Malformation Working Group: see Lorente et al, p 137
- Odagiri Y: see Ohira et al, p 421
- Ørbæk P: see Österberg et al, p 219
- Ørhede E & Kreiner S: Item bias in indices measuring psychosocial work environment and health, p 263
- Qesch F: see Kienast et al, p 71
- Österberg K, et al: Psychological test performance during experimental challenge to toluene and n-butyl acetate in cases of solvent-induced toxic encephalopathy, p 219
- Ohira T, et al: Effects of shift work on 24-hour ambulatory blood pressure and its variability among Japanese workers, p 421
- Olsen J: see Hjollund et al, p 187
- Ostry A, et al: Downsizing and industrial restructuring in relation to changes in psychosocial conditions of work in British Columbia sawmills, p 273
- Paakkulainen H: see Riihimäki et al, p 118
- Pan CS: see Gardner et al, p 406
- Park KW: see Fang et al, p 62
- Pelcier-Cady M-C: see Roquelaure et al, p 507
- Penneau-Fontbonne D: see Roquelaure et al, p 507
- Perruchoud AP: see Leuenberger et al, p 146
- Pershagen G (editor and author): see Areskoug et al, suppl 1
- Pohlabein H: see Kreutzer et al, p 83
- Punnett L, et al: Shoulder disorders and postural stress in automobile assembly work, p 283
- Raimbeau G: see Roquelaure et al, p 507
- Rantanen J: Sven Hernberg — profile in high-quality research and publishing, p 1
- Rasmussen K: see Kaergaard et al, p 292
- Reckner Olsson Å, et al: Occupational determinants for rheumatoid arthritis, p 243
- Reinvang I: see Aaserud et al, p 346
- Reitan JB: see Haldorsen et al, p 106
- Rempel D: see Johnson et al, p 398
- Resmann F: see Grimsrud et al, p 338
- Riihimäki V, et al: Body burden of aluminum in relation to central nervous system function among metal inert-gas welders, p 118
- Rizzotti P: see De Marzo p 153
- Roeleveld N: see Kolstad et al, p 353
- Roine RP: see Karjalainen et al, p 373
- Romundstad P, et al: Cancer incidence among workers in six Norwegian aluminum plants, p 461
- Romundstad P, et al: Nonmalignant mortality among workers in six Norwegian aluminum plants, p 470
- Roqué M: see Serra et al, p 476
- Roquelaure Y, et al: Occupational risk factors for radial tunnel syndrome in industrial workers, p 507
- Rushton L & Betts D: Collection of data for occupational epidemiologic research — results from a survey of European industry, p 317
- Rylander L: see Axmon et al, p 199
- Rylander L & Hagmar L: Medical and psychometric examinations of conscripts born to mothers with a high intake of fish contaminated with persistent organochlorines, p 207
- Saetta M: see De Marzo p 153
- Sala M: see Ballester et al, p 67
- Salonen JT: see Krause et al, p 227
- Salonen R: see Krause et al, p 227
- Sandmark H, et al: Primary osteoarthritis of the knee in men and women as a result of lifelong physical load from work, p 20
- Schairer C: see Stewart et al, p 44
- Schindler C: see Leuenberger et al, p 146
- Schoemaker MJ: see Barreto et al, p 523
- Schwartz J: see Leuenberger et al, p 146
- Schwartz SM: see Engel et al, p 193
- Schöni MH: see Leuenberger et al, p 146
- Seger L: see Österberg et al, p 219
- Seneby A, see Flodin et al, p 93
- Serra C, et al: Bladder cancer in the textile industry, p 476
- Shimamoto T: see Ohira et al, p 421
- Shimomitsu T: see Ohira et al, p 421
- Shin MK: see Fang et al, p 62
- Skakkebæk NE: see Hjollund et al, p 187
- Skogh T: see Reckner Olsson et al, p 243
- Sluiter JK, et al: A forward-facilitating influence of cortisol on catecholamines assessed during the work of garbage collectors, p 26
- Sluiter JK, et al: Neuroendocrine reactivity and recovery from work with different physical and mental demands, p 306
- Smith PG: see Barreto et al, p 523
- Smith RJ: see Stayner et al, p 322
- Solari G: see Leuenberger et al, p 146
- Stayner LT, et al: Human cancer risk and exposure to 1,3-butadiene — a tale of mice and men, p 322

- Steenland K, et al: Biases in estimating the effect of cumulative exposure in log-linear models when estimated exposure levels are assigned, p 37
- Stewart PA, et al: Comparison of industrial hygienists' exposure evaluations for an epidemiologic study, p 44
- Strömberg U: see Axmon et al, p 199
- Strömberg U: see Albin et al, p 482
- Sunyer J: see Ballester et al, p 67
- Sunyer J: see Serra et al, p 476
- Svensson J: see Wahlström et al, p 390
- Swerdlow AJ: see Barreto et al, p 523
- Sydbom A: see Areskoug et al, suppl 1
- 't Mannetje A: see Serra et al, p 476
- Takamiya T: see Ohira et al, p 421
- Tanigawa T: see Ohira et al, p 421
- Tara D: see Leuenberger et al, p 146
- Tarvainen K: see Vanhanen et al, p 250
- Taskinen H: see Lindbohm & Taskinen, p 501
- Tate R: see Kraut et al, p 169
- Tegenfeldt C: see Flodin et al, p 93
- Teschke K: see Ostry et al, p 273
- Thomassen Y: see Ellingsen et al, p 427
- Tinnerberg H: see Albin et al, p 482
- Torén K: Challenges for the new century in the epidemiology of adult asthma (amendments and corrections), p 183.
- Torgén M & Kilbom Å: Physical work load between 1970 and 1993 — did it change? p 161
- Tossavainen A: International expert meeting on new advances in the radiology and screening of asbestos-related diseases (consensus report), p 449
- Tschopp J-M: see Leuenberger et al, p 146
- Tüchsen F & Astrup Jensen A: Agricultural work and the risk of Parkinson's disease in Denmark, 1981—1993 (short communication), p 359
- Tüchsen F, et al: Standing at work and varicose veins, p 414
- Tuomi T: see Vanhanen et al, p 250
- Tupasela O: see Vanhanen et al, p 250
- Tuppurainen M: see Vanhanen et al, p 250
- Turuguet D: see Serra et al, p 476
- Tveten U: see Haldorsen et al, p 106
- Ulfberg J, et al: Sleep-disordered breathing and occupational accidents, p 237
- Urrutia G: see Serra et al, p 476
- Vahtera J: book review of *Health effects of the new labour market*, p 533
- Vainio H: book review of *Occupational health: risk assessment and management*, p 181
- Vainio H: Modification of lung cancer prevention by gene-nutrient interaction (editorial), p 459
- Vainio H & Bianchini F: Cancer-preventive effects of sunscreens are uncertain? (commentary), p 529
- Vainio H & Mutanen M: Functional foods — blurring the distinction between food and medicine (commentary), p 178
- Valkonen S: see Riihimäki et al, p 118
- van der Beek AJ: see Sluiter et al, p 26
- van der Beek AJ: see Sluiter et al, p 306
- van der Wal G: see Ariëns et al, p 7
- van Mechelen W: see Ariëns et al, p 7
- van Tulder MW: see Karjalainen et al, p 373
- Vanhanen M, et al: Cellulase allergy and challenge tests with cellulase using immunologic assessment, p 250
- Venge P: see Wieslander et al, p 514
- Viikari-Juntura E: Epidemiologically based reference values for postural load of the shoulder (editorial), p 281
- Villiger B: see Leuenberger et al, p 146
- Vineis P: Evidence-based primary prevention? (commentary), p 443
- Vingård E: see Sandmark et al, p 20
- Wahlström J, et al: Differences between work methods and gender in computer mouse use, p 390
- Walld R: see Kraut et al, p 169
- Welinder H: see Albin et al, p 482
- Wichmann HE: see Kreutzer et al, p 83
- Wickström G & Bendix T: The "Hawthorne effect" — what did the original Hawthorne studies actually show? (commentary), p 363
- Wieners D: see Baur et al, p 78
- Wieslander G, et al: Changes in the ocular and nasal signs and symptoms of aircrews in relation to the ban on smoking on intercontinental flights, p 514
- Wigaeus Hjelm E: see Johnsson et al, p 398
- Wingren G: see Reckner Olsson et al, p 243
- Working Group on the Study of Bladder Cancer in the County of Vallès Occidental: see Serra et al, p 476
- Wüthrich B: see Leuenberger et al, p 146
- Zellweger J-P: see Leuenberger et al, p 146
- Zemp E: see Leuenberger et al, p 146
- Zhao S: see Steenland et al, p 37
- Zwanenburg R: book review of *Handbook of occupational dermatology*, p 532

Key terms

- 1,3-butadiene
5-hydroxy-N-methyl-2-pyrrolidone, 213
absorption, 32
acoustic rhinometry, 514
acute myeloid leukemia, 482
adducts, 153
adrenaline, 26, 306
advances, 449
aerospace medicine, 514
age, 161, 482
age-cohort model, 112
agricultural work, 359
agriculture, 193, 359
air pollution, suppl 1, 48
aircrews, 514
airline pilots, 106
allergy skin tests, 146
aluminum, 118
aluminum plants, 461, 470
aluminum production, primary, 461
aluminum welding, 118
ambient air, suppl 1
ambient particulates, suppl 1 p 48
ambulatory blood pressure, 24 - hour, 421
ambulatory care, 169
anabolism, 292
anger expression, 421
anthropology, 443
anxiety, 85
arousal, 237
asbestos, 52, 71
asbestos-related diseases, 449
asphalt, 243
assembly work, 283
assessment, 32, 338, suppl 1
assignment, 37
association, 292
asthma, 470
asthma, adult, 183
asthmatic reaction, late 78
atherosclerosis, 227
attention, 237
autoantibodies to myeloperoxidase, 427
automobile, 283
back injury, 406
ban, 514
basal ganglia, 346
basal-cell carcinoma, 529
benzene, 62, 482
bias, 37
biological monitoring, 213
biomarker, 213, 292
biomarkers, 436
biomechanics, 283
biomonitoring, 62
biopsychosocial rehabilitation, 373
birth cohort, 161
birth defects, 193
bladder cancer, 461, 476
blood pressure monitoring, 421
body burden, 118
body mass index, 292
book review, 81, 181, 278, 455, 532, 533
brain dysfunction, 346
brain tumor, 106
Brazilian steelworks, 523
breast cancer, 331
breathing, 237
British Columbia, 273
bronchial hyperreactivity, 146
cacoshmia, 219
cancer incidence, 99, 106, 461
cancer risk, human, 322
cancer, 529
cancer, hormone-dependent, 331
cancer-preventive effects, 529
cardiovascular disease, 455
carotid atherosclerosis, 227
carpenter, 257
case report, 78
case-referent, 482
case-referent studies, 52
case-referent study, 243, 476
catecholamines, 26
cellular phone, 85, 87
cellulase allergy, 250
central nervous system function, 118
cerebral atrophy, 346
cerebral magnetic resonance imaging, 346
cervical disorders, 7
challenge, 153, 183, 219
challenge test, 250
chamber challenge, 250
change, 161, 514
characterization, 398
chemical sensitivity, 219
chloralkali workers, 427
chromium, 187
chromosome aberrations, 436
chromosome aberrations, clonal, 482
chronic obstructive lung disease, 470
circadian rhythm, 421
circulatory disease, 470
clearance, suppl 1, 23
climatic conditions, 331
clinical examination, 257
cohort study, 523
commentary, 178, 363, 443, 529
comparison, 44
compositors, 257
computer mouse, 299
computer mouse use, 390, 398
computer work, 398
computer work, simulated, 299
conditions, 93
confirmation, 346
conscripits, 207
consensus report, 449
construct validity, 263
contamination, 199, 207
context, 363
coronary heart disease, 227
cortisol, 26, 306
cosmic radiation, 106
critical literature overview, 7
cryptorchidism, 331
cumulative exposure, 37
cytogenetic, 482
data collection, 317
data retention, 317
degree of evidence, 443
Denmark, 112, 353, 359
deoxyribonucleic acid, 71
deposition, suppl 1, 23
determinant, 243
diesel exhaust emissions, suppl 1, 28
differential item functioning, 263
distinction, 178
double-blind provocation test, 93
downsizing, 273
editorial, 5, 85, 185, 281, 369, 459
education, 523
effect modification, 482
effect, estimation, 37
effects, suppl 1 p 28, suppl 1 p 39, suppl 1 p 43
electric hypersensitivity, 85, 93
electrochemical factory, 67
electroencephalogram, 87
electrogoniometer, 390
electromagnetic fields, 87, 106
electromyography, 299, 390
embryonal loss, 187
emit, 87
employment, 169, 523
encephalopathy, toxic, 219
endometrial cancer, 331
environment, 185
environmental contamination, 62
environmental tobacco smoke, 514
enzymes, 250
eosinophilic cationic protein, 514
epidemiologic research, 317
epidemiologic studies, suppl 1 p 48
epidemiologic study, 44, 193
epidemiologic, 281
epidemiology, 106, 112, 137, 183, 185, 322, 359, 414, 476
epithelial cells, 71
ergonomics, 283
erythroleukemia, 482
ethics, 443
European industry, 317
European survey, 317
evaluation, 278, 363
everyday, 93
evidence-based, 443
exacerbation, 183
experimental, 219
experimental set-up, 299
experimental studies, human, suppl 1 p 43
experimental studies, suppl 1 p 28, 39
exposure assessment, 44, 398
exposure assessment, retrospective, 338
exposure biomarkers, 62
exposure chamber, 219
exposure evaluations, 44

exposure interaction, 299
exposure levels, 37
exposure matrix, 338
exposure, 87, 322
exposure, low, 427
exposure, past, 482
exposure test, 78
failure, 346
family, 331
family members, 67
farmers, 243, 331
farming, 359
fecundability, 131
fecundity, 353
female, 131
female workers, 292
fertility, 131, 199, 353, 492
fish, 199, 207
floorlayer, 257
fluoride, 470
follow-up study, 187
food, 178
force exposure, 398
force, 507
forces, 390
forearm, 299
formaldehyde, 44
France, 52
functional foods, 178
fungal growth, 331
fungicides, 436
garbage collectors, 26
gender differences, 390
gender, 161
gene-nutrient interaction, 459
general population, 52
genotoxicity, 436
graffiti remover, 213
grain, 331
greenhouse workers, 131, 492
greenhouse workers, pesticide-exposed, 436
greenhouses, 131
growth regulators, 436
guinea pigs, 153
hand force, 32
hand-transmitted, 32
"Hawthorne effect", 363
Hawthorne studies, 363
health care utilization, 169
health effects, suppl 1, 48
health risk, suppl 1
hemodynamics, 227
Hernberg, 1
hexachlorobenzene, 67
high intake, 199, 207
high-quality, 1
high-risk groups, 443
historical exposures, 338
home contamination, 67
horticulture, 359
hospitalization, 169, 414
human, 359
human adults, 146
human brain activity, 87
human lung, suppl 1, 23
hygiene, 32
hypospadias, 331
immunization, 153
immunologic assessment, 250

immunologic markers, 427
impact, 382
incidence rates, 112
incidence, 183, 461
index, 263
industrial areas, 62
industrial hygienists, 44
industrial restructuring, 273
industrial workers, 507
inert-gas welders, 118
infertility, 199
inflammation, 153
influence, forward-facilitating, 26
information, 5
inhalative irritants, 146
input device, 390
insecticides, 436
intercontinental flights, 514
interpretation, 363
intervention, 363
intervention studies, musculoskeletal, 406
isocyanates, 78, 153
Italy, 353
item bias, 263
Japanese workers, 421
job analysis methods, 283
job evaluation, 161
kidney cancer, 461
knee osteoarthritis, 257
knee, 20
knee-straining work, 257
knowledge, 5
Korea, 62
leukemia, 106, 322
limb defects, 193
log-linear models, 37
lung cancer prevention, 459
lung cancer, 99, 461
lung disease, 369
lung function, 78
lymphocytes, 436
lysozyme, 514
machine, 32
male, 353
male workers, 353
male-mediated, 187
malignant melanoma, 99, 106
malignant mesothelioma, 112
maternal, 137, 207
maternal occupation, 193
measurement, 398
measurement error, 37
mechanical power, 32
medical examinations, 207
medicine, 178
melanoma, 529
mental demand, 299, 306
mental health, 169
mental work, 306
mental-physical work, 306
mercury vapor, 427
metals, 187
methacholine challenge, 146
methacholine responsiveness, 146
misclassification, 406
mobile phones, 87
modification, 153, 459
monitoring, 338
monocytes, 71


mortality, nonmalignant, 470
multidisciplinary, 373
multiplication factors, 338
musculoskeletal disorders, 81, 283, 292, 507
mutagenicity, 187
mycotoxins, 331
myeloperoxidase, 514
N-acetyl-b-D-glucosaminidase, 427
naphthylene-1,5 diisocyanate, 78
nasal congestion, 514
nasal signs, 514
nasal symptoms, 514
natural history, 183
n-butyl acetate, 219
neck disorder, 292
neck pain, 7
neck trouble, 7
nerve entrapment, 507
neuroendocrine reactivity, 306
neuroendocrine recovery, 306
neurophysiological effect, 85
neurophysiology, 118
neuropsychological tests, 219
neuropsychology, 118
neurotoxic impairment, 346
nickel industry, 338
nickel refinery, 338
N-methyl-2-pyrrolidone, 213
nonionizing radiation, 87
nonresponse bias, 243
noradrenaline, 26, 306
Norway, 99, 106, 338, 461, 470
occupation, 37, 187, 353, 369, 382, 476, 492
occupational, 161, 183, 243, 317
occupational accident, 237
occupational asthma, 78, 250
occupational cohort, 99
occupational exposure, 52, 146, 338, 346, 501
occupational exposure limits, 78
occupational exposures, 137
occupational health, 181
occupational health practice, 278
occupational injury, nonfatal, 523
occupational limit values, 482
occupational rhinitis, 250
occupational risk factors, 227
ocular signs, 514
ocular symptoms, 514
oral clefts, 137
organic solvents, 346, 482
organochlorine compounds, 67
organochlorine compounds, persistent, 199
organochlorines, persistent, 207
osteoarthritis, knee, 257
osteoarthritis, primary, 20
ovarian cancer, 331
overweight, 20
pain, 292
paint stripper, 213
pancreatic cancer, 461
paper workers, 99
paradigm, 363
para-occupational exposure, 67
Parkinson's disease, 359
particles, suppl 1, suppl 1 p 23
personal measurements, 338

- pesticide, 492
- pesticides, 131, 193, 359
- petrochemical areas, 62
- physical demands, 306
- physical load, 7, 20
- physical work, 306
- physical work exposures, 406
- physical work load, 161
- physically demanding jobs, 20
- plasma testosterone, 292
- plasma, 213
- plastics industry, 353
- pleural mesothelioma, 99
- polychlorinated biphenyls, 199, 207
- polychlorinated dibenzofurans, 199, 207
- polychlorinated dibenzo-p-dioxins, 199, 207
- polycyclic aromatic hydrocarbons, 461, 470
- population attributable risk, 482
- population impact, 443
- population study, 20
- population-based, 476
- postural load, 281
- postural stress, 283
- posture, 283, 507
- potroom emission, 470
- precision, 299
- predicted future, 112
- predictors, 523
- pregnancy, 131, 199, 353, 501
- prevention, 529
- primary aluminum smelters, 470
- primary prevention, 443
- profile, 1
- progression, 227
- prospective study, 414
- prosthetic knee surgery, 20
- proteins, 153
- provocation, 93
- psychological test performance, 219
- psychometric examinations, 207
- psychosocial conditions, 273
- psychosocial factors, 26
- psychosocial health, 263
- psychosocial work conditions, 273
- psychosocial work environment, 263
- publishing, 1
- pulp and paper mills, 99
- pulp workers, 99
- questionnaire, 161, 243, 257
- radial nerve, 507
- radial tunnel syndrome, 507
- radiofrequency field, 87
- radiographic, 257
- radiological investigation, 257
- radiology, 443
- randomized controlled trial, 373
- reactive oxygen intermediates, 71
- reconstitution of exposure, 52
- record linkage, 414
- re-entry, 492
- reference value, 281
- rehabilitation, 227
- renal markers, 427
- repetitive work, 283, 292
- repetitive-strain injuries, 373
- reproductive health, 185, 501
- reproductive outcomes, adverse, 331
- reproductive toxicity, 213
- research, 1
- residual confounding, 406
- respirable particles, 514
- respiratory disease, 382
- response, acute, 299
- review, 7, 373
- rheumatoid arthritis, 243
- risk assessment, 181, 322
- risk factors, 476
- risk factors, occupational, 137, 507
- risk factors, physical, 7
- risk management, 181
- risk, 193, 359
- rural living, 359
- sawmills, 273
- scale, 263
- screening, 449
- self-reported knee complaints, 257
- semen quality, 492
- serum concentrations, 67
- serum proteins, 153
- sexual hormones, 492
- shift work, 421
- shift worker, 421
- shoulder, 281, 299
- shoulder disorder, 283, 292
- shoulder tendonitis, 283
- skin cancer, 106, 529
- skin symptoms, 93
- skin uptake, 213
- sleep, 421
- sleep apnea, 237
- sleep disorder, 237
- smoking, 292, 514
- snoring, 237
- socioeconomic class, 161
- solvent, 213
- solvent-exposed workers, 346
- solvent-induced, 219
- solvents, 353
- sonorous breathing, 237
- speciation, 338
- sperm, 492
- S-phenylmercapturic acid, 62
- spontaneous abortion, 187, 331, 501
- spouse, 187
- squamous-cell carcinoma, 529
- stainless steel welder, 187
- standing at work, 227, 414
- steel workers, 523
- strand lesions, 71
- stress, 26, 292
- styrene exposure, 353
- subjective ratings, 390
- sunscreen, 529
- survey, 317
- Søderberg, 461
- tear-film break up time, 514
- testis, 492
- textile industry, 476
- The Netherlands, 353
- therapy, 373
- time pressure, 299
- time to pregnancy, 131, 199, 353
- toluene, 219
- toluene diisocyanate, 153
- tools, 32
- toxicology, 322
- trans,trans*-muconic acid, 62
- treatment, 373
- trisomy 8, 482
- ultrafine particles, suppl 1, 39
- ultraviolet radiation, 529
- understanding, 5
- unemployment, 169, 273
- unintentional injury, 237
- upper extremities, 398
- upper limb, 373
- urine, 62, 213, 427
- variability, 421
- varicose veins, 414
- varicosis, 414
- venous insufficiency, 414
- veterinarians, 501
- vibration dose, 32
- video display terminal, 390
- video display unit, 390
- video recording, 283
- visual display unit, 299
- Washington State, 193
- women, 199
- work, 20
- work characteristics, 26
- work load, 26
- work methods, 390
- work posture, 227
- workers, 67
- working-age adults, 373
- worklife, 363
- workplace, 455
- work-related, 292, 507
- work-related injury, 523
- work-related musculoskeletal disorders, 406
- worksite visit, 373

Acknowledgments

The *Scandinavian Journal of Work, Environment & Health* wishes to express its gratitude to the following scientists, who were so kind as to act as reviewers for articles received during the period 1 September 1999 — 31 August 2000.

Ursula Ackermann-Liebrich	Finn Gyntelberg	Jaana Laitinen	Jesper Platz
Antero Aitio	Annika Härenstam	Sverre Langård	Hannu Rintamäki
Maria Albin	Maureen Hatch	Kjell Larsson	Roger Rosa
Peter Amadio	Aarno Hautanen	Larry A Layne	Kaija Leena Saarela
Benedict Armstrong	Dick JJ Heederick	Annette Leclerc	Markku Sainio
Thomas Armstrong	Markku Heliövaara	Päivi Leino-Arjas	Paul Scheepers
Bengt Arnetz	Sven Hernberg	Jan-Olof Levin	Pentti Seppälä
Kristan J Aronson	Gunnar Hillerdal	Carola Lidén	Johannes Siegrist
Olav Axelsson	Ånund Hobbessland	Jyrki Liesivuori	Barbara Silverstein
Lars Barregård	Christer Högstedt	Eiliv Lund	Lorenzo Simonato
Allard van der Beek	Richard E Hughes	Ulf Lundberg	Gisela Sjögaard
Karen Belkic	Kristina Husgafvel-Pursiainen	Ritva Luukkonen	Bengt Sjögren
A Bernard	Pekka Huuhtanen	Elsebeth Lynge	Staffan Skerfving
Kaj Björkvist	Raija Ilmarinen	Thomas Läubli	Julia Smedley
Aaron Blair	Paavo Jäppinen	Matti Mäkelä	B Söderfeldt
Paolo Boffetta	Bengt Järholm	Antti Malmivaara	Jukka Starck
Paulien Bongers	Gunnar Johansson	Christina Mapp	Kyle Steenland
Ørnulf Borgan	Raija Kalimo	Bovenzi Massimo	Susan Stock
Bryan Buchholz	Irja Kandolin	Bente Moen	Esa-Pekka Takala
Alex Burdorf	Timo Kauppinen	Lars Mölhave	Helena Taskinen
P Sherwood Burke	W Monroe Keyserling	Giovanni Moneta	Allan Toomingas
Susan Burt	Ernst Kieswetter	Friedhelm Nachreiner	Kjell Torén
Gunnar Bylin	Ulla Kinnunen	Nancy Nelson	Antti Tossavainen
Gregory Chan	Juhani Kirjonen	Jörn Nielsen	Jaakko Tuomilehto
John Cherrie	Mika Kivimäki	Henrik Nordman	Aage Tverdal
David Coggon	Stein Knardahl	Hannu Norppa	Jussi Vahtera
Paul Cullinan	Anders Knutsson	Tor Norseth	Harri Vainio
PO Drotz	Manolis Kogevinas	Toshiteru Okubo	Paolo Vineis
Christer Edling	Henrik Kolstad	Jörn Olsen	Trinh Vu Puc
Wijnand Eduard	Riitta-Sisko Koskela	Bernice Owen	Jukka Vuori
Anna-Liisa Elo	Tage S Kristensen	Keith Palmer	Stig Wall
Gösta Gemne	Esko Länsimies	Neil Pearce	Nick Warren
Beth Gladen	Thomas Läubli	Tapio Pirilä	Peter Westerholm



Scandinavian Journal of Work, Environment & Health

The **Scandinavian Journal of Work, Environment & Health** is an international scientific periodical which began publication in 1975. The Journal appears 6 times a year, at the end of February, April, June, August, October, and December. In addition 1 to 3 self-financed supplements on specific topics are generally published annually.

The circulation of the Journal is worldwide. By the end of 1999, the total distribution was about 1250 copies to 50 countries on 5 continents. Most of the subscriptions came from the United States (200), Holland (81), Italy (74), Norway (67), Sweden (64), Canada (60), Germany (52), Great Britain (52), Finland (50), and Australia (37).

The Journal is open to all authors without regard to nationality. In 1999, the number of manuscripts submitted for publication in a regular issue was 187. In volume 25, the first author of the 125 published articles (supplements included) was from Finland (24), Sweden (21), Denmark (19), the United States (15), Norway (10), Italy (6), the United Kingdom (6), Germany (5), Canada (5), The Netherlands (5), France (2), Japan (2), Poland (2), Czech Republic (1), and Russia (1).

The acceptance rate of the 212 articles submitted in 1999 was 38% by the end of May 2000; at that time the decision was still pending for 30 of the manuscripts.

In a peer-review process, 1 to 4 referees independently evaluate the scientific quality of the submitted manuscripts. The Journal uses a double-blind peer-review system.

The elapsed time from submission to publication for the articles published in 1999 averaged 11 months. A decision of acceptance of a manuscript was reached in 1 to 3 months (average 7 weeks).

The Journal is indexed or abstracted in Current Contents, the Science Citation Index, Biological Abstracts, Excerpta Medica, CISDOCE HSELINE, TZXLIRE, NIOSHTIC, etc.

For the latest year available, 1999, the impact factor of the Journal was 1.756.

